

SAFETY DATA SHEET (SDS)

Section 1. Identification		
Product identifier	MAJESTIC DEEP POUR 2 – PART A	
Other means of identification LCTH-A		
Recommended use and restrictions on use		
Initial supplier identifier	LabSurface. 101-1079, rue des Forges, Terrebonne, QC, J6Y 0J9 (Canada) Tél. (450) 966-9000	
Emergency telephone number/restriction on use Canada – CANUTEC Number 24 hours 613-996-6666		
Section 2. Hazard Identification		

Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin corrosion/irritation (Category 2)

Skin sensitization (Category 1B)

Serious eye damage/eye irritation (Category 2B)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)



Warning

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H320 Causes eye irritation.

Prevention

P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands/nails/face/eyes thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace P280 Wear gloves/protective clothing/gloves/eye protection/face protection.

Response

IF ON SKIN: P302 + P352 Wash with plenty of water. P332 + P313 If skin irritation occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

IF IN EYES: P305 + P351 + P338 Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention.

Disposal

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None		-		
Section 3. Composition/Information on Ingredients				
Chemical name (common name/synonyms)		CAS number or other	Concentration (%)*	
Bisphenol A epichlorohydrin polymer		25068-38-6	50-80%	
Reactive Diluent			10 – 30 %	
Reactive Diluent			10 – 20 %	
*Statement - This safety data sheet provides conc	entration range(s) ins	tead of the actual concentration(s) considere	d trade secret(s)	
	Section 4. Fi	rst-Aid Measures		
Inhalation IF INHALED: If overexposure	remove person to fr	esh air and keep comfortable for breathing. I	f symptoms persist, seek	
medical attention.				
		vent aspiration of vomit. Never give anythin	ng by mouth to an unconscious	
person. Rinse mouth thorough				
	IF ON SKIN: Remove contaminated clothing, wash immediately with plenty of water (20 - 30 minutes). If skin irritation			
	occurs: Get medical attention. Wash contaminated clothing before reuse. Discard items which cannot be decontaminated			
including leather articles such as shoes, belts and watchbands. If symptoms persist, seek medical attention.				
do. Continue rinsing. If eye irritation persists: Get medical attention.				
		Causes skin irritation. May cause an allergic skin reaction. Causes eye		
		irritation.		
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.				
Section 5. Fire-Fighting Measures				
Specific hazards of the hazardous product (hazardous combustion products)				
Smoke, fume, oxides of carbon.				
Suitable and unsuitable extinguishing media				
In case of fire: Use Carbon dioxide (CO ₂), dry chemical, water and alcohol resistant foam.				
Special protective equipment and precautions for fire-fighters				



During a fire, irritating/toxic fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment as required

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Evacuate non-emergency personnel. Isolate the area and prevent access. Control source of the leak. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil. Eliminate all ignition sources (no smoking, flares, sparks or flames) in immediate area. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Methods and materials for containment and cleaning up

Avoid prolonged exposure. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Spill should be contained with inert material and disposed into suitable retaining area. Small volumes of liquid may be contained or absorbed into an appropriate absorbent. Keep away from all watercourses. Do not flush down storm or sanitary sewer. Take precautionary measures against static discharges. Dispose of in accordance with local, provincial and federal regulations.

Section 7. Handling and Storage

Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands/nails/face/eyes thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear gloves/protective clothing/gloves/eye protection/face protection.

Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure Controls/Personal Protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: ACGIH – TLV-TWA Not available

Appropriate engineering controls

Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.

Individual protection measures/personal protective equipment

Gloves: Neopren gloves or equivalent; Clothing: use suitable protective clothing to prevent any possibility of skin contact; Respiratory: Not required if working area is well ventilated. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Educate and train employees in the safe use and handling of this product. Follow all label instructions.

Section 9. Physical and Chemical Properties		
Appearance, physical state/colour Liquid	Vapour pressure Not available	
Odorless to mild	Vapour density Not available	
Odour threshold Not available	Relative density Not available	
pH Not available	Solubility Not available	
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available	
Initial boiling point/range Not available	Auto-ignition temperature Not available	
Flash point > 100 °C	Decomposition temperature Not available	
Evaporation rate Not available	Viscosity Not available	
Flammability (solids and gases) Not available	VOC Not available	
Upper and lower flammability/explosive limits Not available	Other None known	

Section 10. Stability and Reactivity

Reactivity

Stable under normal conditions.

Chemical stability

Yes, Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

Non under normal conditions of storage and use.

Conditions to avoid (static discharge, shock or vibration)

Excess heat and sources of ignition

Incompatible materials

Acids, bases, amines, oxidizing agents.



Hazardous decomposition products

Chlorine hydrogen, carbon oxides.

Section 11. Toxicological Information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Causes skin irritation. May cause an allergic skin reaction. Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

No specific information available.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – May cause allergic skin reaction. Skin disorders and Allergies. Respiratory Sensitization – No data available;

Germ Cell Mutagenicity – Animal genetic toxicity studies were negative; Carcinogenicity – , the most recent review of the available data by the International Agency for Research on Cancer (IARC) has concluded that DGEBPA is not classified as a carcinogen; Reproductive Toxicity – In animal studies, did not interfere with reproduction;

Specific Target Organ Toxicity — Single Exposure – Evaluation of available data suggests that this material is not an STOT-SE toxicant; Specific Target Organ Toxicity — Repeated Exposure – Except for skin sensitization, repeated exposures to low molecular weight epoxy resins of this type are not anticipated to cause any significant adverse effects;

Aspiration Hazard - Based on physical properties, not likely to be an aspiration hazard; Health Hazards Not Otherwise Classified - No data available.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

 $CAS\ 25068-38-6\ LD_{50}\ Oral\ -\ Rat\ ->15,000\ mg/kg;\ LD_{50}\ Dermal\ -\ Rabbit\ -23,000\ mg/kg;\ LC_{50}\ Inhalation\ -\ has\ not\ been\ determined;\ ATE\ not\ available\ in\ this\ document.$

Section 12. Ecological Information

Ecotoxicity (aquatic and terrestrial information)

Toxicity to fish CAS: 25068-38-6 LC₅₀: 1-10 mg/l (in the most sensitive species tested)/ LC₅₀ 2 mg/l (Oncorhynchus mykiss (rainbow trout), semi-static test, 96h;

Toxicity to Aquatic Invertebrates: CAS: 25068-38-6 EC₅₀: 1.8 mg/l (Water flea (Daphnia magna) 48h);

Toxicity to Algae and Aquatic Plants: CAS: 25068-38-6 EC₅₀: 11 mg/l (Fresh water algae (Scenedesmus capricornutum) static test, 72h);

Toxicity to Bacteria CAS: 25068-38-6 IC₅₀: >42.6 mg/l, (Respiration rates, 18h).

Persistence and degradability CAS: 25068-38-6 12%, not easily biodegradable.

Bioaccumulative potential CAS: 25068-38-6 Bio-concentration potential is moderate

Mobility in soil CAS: 25068-38-6 Potential for mobility in soil is low

Other adverse effects Not available

Section 13. Disposal Considerations

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Section 14. Transport Information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

No regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

No regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

No regulated.

Special precautions (transport/conveyance) None Environmental hazards (IMDG or other) None

Bulk transport (usually more than 450 L in capacity) None

Section 15. Regulatory Information

Safety/health Canadian regulations specifics
This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).

Environmental Canadian regulations specifics | Refer to Section 3 for ingredient(s) of the DSL

Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.

United States TCSA information: Refer to the ingredients listed in Section 3.

Section 16. Other Information

l	Date of the latest revision of the safety data sheet	A	pril 16, 2019 - version 01

References Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu

Abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

ATE Acute toxicity estimate
CAS Chemical Abstract Service
DSL Domestic Substance List



IARC International Agency for Research on Cancer IATA International Air Transport Association

IMDG International Maritime Dangerous Goods Code

LC Lethal concentration LD Lethal Dosage

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program (U.S.A.)

OSHA Occupational Safety and Health Administration (U.S.A.)

PEL Permissible Exposure Limit STEL Short-term Exposure Limit

TDG Transport of dangerous goods in Canada

TLV Threshold Limit Value
TSCA Toxic Substances Control Act

TWA Time Weighted Average

WHMIS Workplace Hazardous Materials Information System

DISCLAMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our strict requirements, we are continuously testing our coatings and on occasion, formulations may be modified to improve certain properties within each coating. Information and data included in this reference document may not be up to date as of the date of reference.



SAFETY DATA SHEET (SDS)

Section 1. Identification		
Product identifier	MAJESTIC DEEP	EP POUR 2 - PART B
Other means of identificati	on LCTH-B	
Recommended use and restrictions on use Casting and Countertops		
Initial supplier identifier LabSurface. 101-1079, rue des Forges, Terrebonne, QC, J6Y 0J9 (Canada) Tél. (450) 966-9000		
Emergency telephone number/restriction on use Canada – CANUTEC Number 24 hours 613-996-6666		
Section 2. Hazard Identification		

Classification of hazardous product (name of the category or subcategory of the hazard class)

Acute toxicity, oral (Category 4)

Acute toxicity, dermal (Category 4)

Serious eye damage/eye irritation (Category 1)

Hazardous to the aquatic environment, long-term-hazard (Category 1)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)







Warning

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects

Prevention

P264 Wash hands/nails/face/eyes thoroughly after handling. P270 Do not eat, drink or smoke when using this product.P273 Avoid release to the environment. P280 Wear gloves/protective clothing/gloves/eye protection/face protection.

Response

IF SWALLOWED: P301 + P312 call a POISON CENTER if you feel unwell. P330 Rinse mouth.

IF ON SKIN: P302 + P352 Wash with plenty of water. P312 call a POISON CENTER if you feel unwell. P362 + P364 Take off contaminated clothing and wash it before reuse.

IF IN EYES: P305 + P351 + P338 Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER.

ENVIRONMENT: P391 Control spillage.

Disposal

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards l	known None		
Section 3. Composition/Information on Ingredients			
Chemical name	(common name/synonyms)	CAS number or other	Concentration (%)*
Epoxy Amine H	ardener		<100 %
*Statement - Thi	is safety data sheet provides concentration range(s) instead of the actual concentration(s) considere	ed trade secret(s).
	Section 4	. First-Aid Measures	
Inhalation		ely. If overexposure remove person to fresh air an ation or give oxygen by trained personnel. Do no rsist, seek medical attention.	
Ingestion	IF SWALLOWED: Immediately call a doctor. Prevent aspiration of vomit. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Rinse mouth thoroughly with water.		
Skin contact	IF ON SKIN: Remove contaminated clothing, wash immediately with soap and water (20 - 30 minutes). If skin irritation occurs: Get medical attention. Wash contaminated clothing before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands. If symptoms persist, seek medical attention.		
Eye contact			
Most important symptoms and effects (acute or delayed) Harmful if swallowed. Harmful in contact with skin. Causes serious eye damage.			with skin. Causes serious eye
Indication of im	Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.		
Section 5. Fire-Fighting Measures			
Specific hazards of the hazardous product (hazardous combustion products)			
Oxides of carbon and nitrogen.			



Suitable and unsuitable extinguishing media

In case of fire: Use Dry chemical, water fog

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment as required

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Evacuate non-emergency personnel. Isolate the area and prevent access. Control source of the leak. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil. Removal of ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Methods and materials for containment and cleaning up

Avoid prolonged exposure. Stop leak if you can do it without risk. Spill should be contained with inert material and disposed into suitable retaining area. Do not touch or walk through spilled material. Small volumes of liquid may be contained or absorbed into an appropriate absorbent. Keep away from all watercourses. Do not flush down storm or sanitary sewer. Take precautionary measures against static discharges. Dispose of in accordance with local, provincial and federal regulations.

Section 7. Handling and Storage

Precautions for safe handling

Wash hands/nails/face/eyes thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear gloves/protective clothing/gloves/eye protection/face protection.

Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure Controls/Personal Protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: ACGIH - TLV-TWA Not available.

Appropriate engineering controls

Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.

Individual protection measures/personal protective equipment

Gloves: Neopren gloves or equivalent; Clothing: use suitable protective clothing to prevent any possibility of skin contact; Respiratory: Not required if working area is well ventilated. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Educate and train employees in the safe use and handling of this product. Follow all label instructions.

Section 9. Physical and Chemical Properties			
Appearance, physical state/colour Liquid	Vapour pressure Not available		
Odour Not available	Vapour density Not available		
Odour threshold Not available	Relative density Not available		
pH Not available	Solubility Not available		
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available		
Initial boiling point/range Not available	Auto-ignition temperature Not available		
Flash point 218.5 °C (425.3°F)	Decomposition temperature Not available		
Evaporation rate Not available	Viscosity Not available		
Flammability (solids and gases) Not available	VOC Not available		
Upper and lower flammability/explosive limits Not available	Other None known		
G 49 40 G4 19194	ID 41.14		

Section 10. Stability and Reactivity

Reactivity

Does not react under the recommended storage and handling conditions prescribed.

Chemical stability

Yes, Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

Non under normal conditions of storage and use.

Conditions to avoid (static discharge, shock or vibration)

Excess heat and sources of ignition



Incompatible materials

Avoid contact with oxidizing agents, acids, epoxies.

Hazardous decomposition products

None known.

Section 11. Toxicological Information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Harmful if swallowed. Harmful in contact with skin. Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Corrosive, may cause skin burns.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization - Not classified. Causes serious eye damage. Respiratory Sensitization - No data available; Germ Cell Mutagenicity - No positive mutagenic effects reported; Carcinogenicity - No classified as a carcinogenic; Reproductive Toxicity - Not available; Specific Target Organ Toxicity — Single Exposure - No information found; Specific Target Organ Toxicity — Repeated Exposure - No information found; Aspiration Hazard - No information found; Health Hazards Not Otherwise Classified - No data available.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

Acute toxicity: LD₅₀ Oral - Rat 550 mg/kg bw female; LD₅₀ Dermal Rabbit >1000 mg/kg bw; LC₅₀ Inhalation Rat No available; ATE not available in this document.

Section 12. Ecological Information

Ecotoxicity (aquatic and terrestrial information)

Fish toxicity: LC50: >100 mg/L (Fish, 96h);

Toxicity to Aquatic Invertebrates: EC50: 13 mg/l (Crustacea) 48h. Acute toxicity to aquatic plants: EC₅₀: 4.4 mg/l (Algae) 72h

Persistence and degradability Under test conditions no biodegradation observed

Bioaccumulative potential Not available

Mobility in soil No data available

Other adverse effects Toxic to aquatic life with long lasting effects.

Section 13. Disposal Considerations

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Section 14. Transport Information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

UN 3082; Environmentally Hazardous Substance Liquid (Epoxy Amine Hardener), N.O.S.; HAZARD CLASS:9; PACKING GROUP: III

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

UN 3082; Environmentally Hazardous Substance Liquid (Epoxy Amine Hardener), N.O.S.; HAZARD CLASS:9; PACKING GROUP: III

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

UN 3082; Environmentally Hazardous Substance Liquid (Epoxy Amine Hardener), N.O.S.; HAZARD CLASS:9; PACKING GROUP: III

Special precautions (transport/conveyance) None

Environmental hazards (IMDG or other)

Bulk transport (usually more than 450 L in capacity) Possible

Section 15. Regulatory Information

Safety/health Canadian regulations specifics	This product has been classified in accordance with the hazard criteria of the Hazardous Products
	Regulations (HPR).

Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL

Safety/health/environmental outside regulations specifics

IMDG

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information, Defen to the ingredients listed in Section 2

International Maritime Dangerous Goods Code

United States TCSA information: Refer to the ingredients fisted in Section 5.	
Section 16. Other Information	
Date of the latest revision of the safety data sheet September 28, 2019 - version 02	
References	Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu

Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association



LC Lethal concentration
LD Lethal Dosage

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program (U.S.A.)

OSHA Occupational Safety and Health Administration (U.S.A.)

PEL Permissible Exposure Limit STEL Short-term Exposure Limit

TDG Transport of dangerous goods in Canada

TLV Threshold Limit Value
TSCA Toxic Substances Control Act
TWA Time Weighted Average

WHMIS Workplace Hazardous Materials Information System

DISCLAMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our strict requirements, we are continuously testing our coatings and on occasion, formulations may be modified to improve certain properties within each coating. Information and data included in this reference document may not be up to date as of the date of reference.