

SAFETY DATA SHE	· · · · · · · · · · · · · · · · · · ·		
Section 1. Identific	ation		
Product identifier LAPOX LV UV Clear, Part A			
Other means of identification LPLV -000–A			
Recommended use and restrictions on useFloor CoatingInitial supplier identifierLabSurface. 101-1079 des Forges, Terrebonne, J6	$\mathbf{V} \cup 0$ $\mathbf{O}_{\mathbf{v}} \in (\mathbf{C}_{\mathbf{v}}, \mathbf{v}, \mathbf{d}_{\mathbf{v}})$ $\mathbf{T} \in (1, 0, 0)$	£ 0000	
		56-9000	
	Emergency telephone number/restriction on use Canada – CANUTEC Number 24 hours 613-996-6666 Section 2. Hazard Identification		
Classification of hazardous product (name of the category or subcategory of			
Classification of hazardous product (name of the category of subcategory of	the hazaru class)		
Acute toxicity, oral (Category 4)			
Acute toxicity, dermal (Category 4)			
Acute toxicity, inhalation (Category 4)			
Skin corrosion/irritation (Category 2)			
Skin sensitisation (Category 1)			
Serious eye damage/eye irritation (Category 2A)			
Hazardous to the aquatic environment, long-term hazard (Category 2)			
Information elements (symbols, signal words, hazard statements and precaut	ionary statements of the categor	y/subcategory)	
Warning			
H302 Harmful if swallowed.			
H312 Harmful if in contact with skin.			
H332 Harmful if inhaled.			
H315 Causes Skin irritation.			
H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.			
H411 Toxic to aquatic life with long lasting effects			
Prevention			
P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands/nails/fa	ce/eyes thoroughly after handling	P265 Do not touch eyes P270	
Do not eat, drink or smoke when using this product. P271 Use only outdoors or in not be allowed out of workplace. P273 Avoid release to the environment. P280	a well ventilated area. P272 Cont	aminated work clothing should	
protection. Response			
IF SWALLOWED: P301 + P317 Get emergency medical help. P330 Rinse mout	h.		
IF ON SKIN: P302 + P352 Wash with plenty of water. P317 Get emergency remergency medical help. P362 + P364 Take off contaminated clothing and wash in IF INHALED: P304 + P340 Remove person to fresh air and keep comfortable for IF IN EYES: P305 + P351 + P338 Rinse cautiously with water. Remove contact here irritation persists: Get emergency medical help. P391 Collect spillage Disposal P501 Dispose of contents/container into safe container in accordance with local, r	t before reuse. breathing. P317 Get emergency n enses, if present and easy to do. Co	nedical help.	
Other hazards known None	egional of national regulations.		
Section 3. Composition/Informat	ion on Ingredients		
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)*	
Epoxy liquid resin	25068-38-6	50-80 %	
1,4-Butanediol Diglycidyl Ether	2425-79-8	15-40 %	
*Statement - This safety data sheet provides concentration range(s) instead of the	actual concentration(s) considered		
Section 4. First-Aid M			
Inhalation IF INHALED: If overexposure remove person to fresh air and respiration or give oxygen by trained personnel. If symptoms p if breathing has stopped.	keep comfortable for breathing. If		



-			
Ingestion			
	to avoid breathing in of vomits. Rinse mouth t	horoughly with water. Never give anything by mou	
	Do not use mouth-to-mouth method if victim		
Skin contact	IF ON SKIN: Remove contaminated clothing, wash immediately with soap and water (20 - 30 minutes). If symptoms persist, seek medical attention. Wash contaminated clothing before reuse.		
Eye contact	ye contact IF IN EYES, Rinse cautiously with water for several minutes (20 - 30 minutes). Remove contact lenses, if present and		
•	do. Continue rinsing. If eye irritation persists:		
Aost important symptoms and effects (acute or delayed) Harmful if swallowed, in contact with skin or if inhaled. Causes Skin irritation May cause an allergic skin reaction. Causes serious eye irritation.			
Indication of in	mediate medical attention/special treatment	In all cases, call a doctor. Do not forget this docur	nent.
	Section 5.	Fire-Fighting Measures	
	s of the hazardous product (hazardous combu	stion products)	
No data availabl			
	suitable extinguishing media		
	Jse carbon dioxide (CO2), dry chemical, regular f		
	ve equipment and precautions for fire-fighter		
During a fire, irr equipment as req		er fire area without proper protection. Firefighters s	should wear proper protective
	Section 6. Ac	cidental Release Measures	
Personal precau	utions, protective equipment and emergency p	ocedures	
		at access. Control source of the leak. Ensure clea	
		e appropriate protective equipment (See Section 8)	
		ces (no smoking, flares, sparks or flames in immed	iate area). All equipment used
	he product must be grounded. Do not touch or wa	ik through spilled material.	
	aterials for containment and cleaning up		
		pill should be contained with inert material and dispo	
		quid may be contained or absorbed into an appropria recautionary measures against static discharges. Disp	
	deral regulations.	ecautionary measures against static discharges. Disp	ose of ill accordance with local,
provincial and ic		Handling and Storage	
Precautions for		Tranuning and Storage	
-		nails/face/eyes thoroughly after handling. Do not to	-
	the environment. Wear protective gloves/protect	tilated area. Contaminated work clothing should no	t be allowed out of workplace.
	safe storage, including any incompatibilities	ve clothing/eye protection/ face protection.	
		n not in use. Do not handle or store near open fla	ames heat or other sources of
		inspect all incoming containers to make sure they	
		ostruction and accessible only to trained personn	
		riodically for damage or leaks. Storage temperature	
		e Controls/Personal Protection	
Control parame	eters (biological limit values or exposure limit		
	ACGIH – TLV Not available		
Appropriate en	gineering controls		
Use product in v	well-ventilated areas. Do not spray the product.	Local exhaust ventilation system is recommended	
contaminants be	low exposure limits. Supply emergency safety/qu	ick-drench shower, eyewash station and washing fa	acilities available in work area
		ar suitable personal protection equipment which per	forms satisfactorily and meets
recognized stand			
	ection measures/personal protective equipmen		
		sleeves, long pants; Respiratory: Use a NIOSH app	
		al resistant. Special instructions for protection and h	
		noke when using this product. Practice good person	
Follow all label	6	-use. Educate and train employees in the safe use a	no nanoning of this product.
ronow an label		cal and Chamical Properties	
Annoaranaa		Vapour pressure Not available	
Odour Faint of	nysical state/colour Liquid	Vapour pressure Not available Vapour density Not available	
Odour Threshol		vapour density Not available Relative density Not available	
pH Not avai		Solubility Not soluble	
Melting/freezin	g noint Not available	Partition coefficient - n-octanol/wat	er Not available
Melting/freezin Initial boiling p		Partition coefficient - n-octanol/wate Auto-ignition temperature Not av	



			1-			
Flash point >100°C				Decomposition temperature Not available		
Evaporation rate Not available				Viscosity Not available		
Flammability (solids and gases) Not available				VOC Not available		
Upper and lower flammability/explosive limits Not available		Other	None known			
		Section 10. Stab	ility and Rea	activity		
Reactivity						
Stable under normal conditions.						
Chemical stability						
Yes, Stable under the recommender		dling conditions pres	cribed.			
Possibility of hazardous reactions						
Non under normal conditions of storage and use.						
Conditions to avoid (static discharge, shock or vibration)						
Excess heat.						
Incompatible materials						
Acids, bases, oxidizing agents.						
Hazardous decomposition pro	ducts					
Carbon oxides.						
		Section 11. Toxic	ological Info	rmation		
Information on the likely rout						
				ause an allergic skin reaction. Causes serious eye irritation.		
Symptoms related to the physi						
Eye contact may cause serious i						
Delayed and immediate effects				posure)		
				available; Germ Cell Mutagenicity – No data available		
				available, Germ Cern Mudgemerty 100 data available		
				1 Hazard – No data available; Health Hazards Not Otherwis		
Classified – No data available.	hopeaned Empos		ore, rispiration			
Numerical measures of toxicit	v (ATE: LD50 & L	C50)				
			it ->2000 mg/	/kg; LC50 Inhalation – Not available;		
				ale > 1,250 mg/kg; LC ₅₀ Inhalation Not available; ATE no		
available in this document.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	B, 22 30 2 erinar raa	indie die reine			
		Section 12. Ecol	ogical Inforn	nation		
Ecotoxicity (aquatic and terre	strial information)		8			
			CAS 2425-79-	-8 LC ₅₀ 24mg/l Danio rerio (zebra fish) 96h;		
) 48h; CAS 2425-79-8 EC50 75 mg/l (Water flea (Daphni		
magna) 48h;		0	`````			
Toxicity to Aquatic Plants: CA	AS 2425-79-8 EC ₅₀	>160 mg/l (Pseudol	kirchneriella su	ıbcapitata) 72h;		
Toxicity to Bacteria: Not avail	able	U				
Persistence and degradability	CAS: 25068-	-38-6: Log Kow = 2 .	821 estimates;	CAS 2425-79-8 aerobic - Exposure time 28 d Result: 38 %		
		biodegradable.	,	ľ		
Bioaccumulative potential			Exposure concent	trations:10ug/l, 5.6<= BCF=<6.8(Exposure concentrations:1ug/l))		
	Biodegradability = 0		-			
Mobility in soil Not available.						
Section 13. Disposal Considerations						
Information on safe handling for disposal/methods of disposal/contaminated packaging						
Dispose of contents/container into safe container in accordance with local, regional or national regulations.						
Section 14. Transport Information						
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations UN 3082; ENVIRONMENTAL HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Résine Époxy Liquide); CLASS: 9; PG: III						
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)						
UN 3082; ENVIRONMENTAL HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Résine Époxy Liquide); CLASS: 9; PG: III						
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)						
UN 3082; ENVIRONMENTAL HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Résine Époxy Liquide); CLASS: 9; PG: III						
Special precautions (transport/conveyance) None						
Environmental hazards (IMD		boxy resin				
Bulk transport (usually more than 450 L in capacity) None						



	Section 15. Regulatory Information		
Safety/health Canadian regulations specifics This product has been classified in accordance with the hazard criteria of the Hazardous Product Regulations (HPR).			
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL			
Safety/health/environmental outside regulations specifics			
United States OSHA information: This product is regulated according to OSHA (29 CFR).			
California Proposition 65: This product does not contain an ingredient known to the State of California to cause cancer or other reproductive harm			
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.			
United States TC	SA information: Refer to the ingredients listed in Section 3.		
	Section 16. Other Information		
Date of the lates	t revision of the safety data sheet November 13, 2022 - version 01		
References	Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu		
Abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
ATE	Acute toxicity estimate		
CAS	Chemical Abstract Service		
DSL	Domestic Substance List		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials Information System		
	osurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or		
information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is quitable for their particular purposes and they assume all ricks of their use handling, and disposel of the product			
is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product.			



SAFETY DATA SHEET (SDS)

Section 1. Identification		
Product identifier LABPOX LV UV, Part B		
Other means of identification LPLV-B		
Recommended use and restrictions on use Floor Coating		
Initial supplier identifier LabSurface. 101-1079 des Forges, Terrebonne, J6Y 0J9, Qué (Canada) Tél. (450) 966-9000		
Emergency telephone number/restriction on use Canada – CANUTEC Number 24 hours 613-996-6666		
Section 2. Hazard Identification		
Classification of hazardous product (name of the category or subcategory of the hazard class)		
Acute toxicity, oral (Category 4) Acute toxicity, dermal (Category 4) Acute toxicity, inhalation (Category 4) Skin corrosion/irritation (Category 1) Skin sensitisation (Category 1) Specific target organ toxicity, repeated exposure (Category 2) Hazardous to the aquatic environment, acute hazard (Category 2) Hazardous to the aquatic environment, long-term hazard (Category 2)		
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)		



Warning

H302 Harmful if swallowed.

- H312 Harmful if in contact with skin.
- H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Prevention

P260 + P261 Do not/avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands/nails/face/eyes thoroughly after handling. P265 Do not touch eyes. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well ventilated area. P272 Contaminated work clothing should not be allowed out of workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/ face protection.

Response

IF SWALLOWED P301+ P317 Get emergency medical help. P330 Rinse mouth. P331 Do NOT induce vomiting

IF ON SKIN: P302+P352 Wash with plenty of water P361 Take off immediately all contaminated clothing. P363 Wash contaminated clothing before reuse.

IF INHALED: P304 + P340 Remove person to fresh air and keep comfortable for breathing. P316 Get emergency medical help immediately. IF IN EYES: P305+P354+P338 Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P391 Collect spillage

Storage

P405 Store locked up

Disposal

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None



Section 3. Composition/Information on Ingredients				
Chemical name (common name/synonyms)			CAS number or other	Concentration (%)*
Polyetheramine			9046-10-0	40 - 70 %
4,4'-Diaminodicy	clohexyl methane		1761-71-3	5 - 20 %
Resin epoxy liquid			25068-38-6	5 - 15 %
Benzyl Alcohol			100-51-6	5 - 25 %
Other Product				$1 - 10 \ \%$
*Statement - This	safety data sheet provides concentration range(s	s) instead of	the actual concentration(s) considered	d trade secret(s)
		4. First-Aid		
Inhalation IF INHALED: If overexposure remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial				
respiration or give oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth				
	resuscitation. If symptoms persist, seek medica			
Ingestion	IF SWALLOWED: Immediately call a doctor.			
	avoid breathing in of vomits. Rinse mouth thor			n to an unconscious person. Do
G1 • • •	not use mouth-to-mouth method if victim inger			
Skin contact	IF ON SKIN: Remove contaminated clothing,			
	seek medical attention. Wash contaminated cl		e reuse. Discard items which canno	t be decontaminated, including
Eye contact	leather articles such as shoes, belts and watchb IF IN EYES, Rinse cautiously with water for s		tas (20, 20 minutas) Ramova conta	at langage if present and apply to
Eye contact	do. Continue rinsing. If eye irritation persists:			et tenses, il present and easy to
Most important	symptoms and effects (acute or delayed)		swallowed, in contact with skin or inl	haled Causes severe skin hurns
most important	symptoms and checks (deate of delayed)		mage. May cause an allergic skin r	
			ugh prolonged or repeated exposure.	
Indication of im	mediate medical attention/special treatment			iment.
			ng Measures	
Specific hazards	of the hazardous product (hazardous combus		0	
•	carbon and fumes.	•	·	
	uitable extinguishing media			
	se carbon dioxide (CO2), dry chemical, water and	d alcohol resi	stant foam.	
Special protectiv	e equipment and precautions for fire-fighters	5		
	tating/toxic fumes may be generated. Do not enter	er fire area w	ithout proper protection. Firefighters	should wear proper protective
equipment as requ				
			elease Measures	
	tions, protective equipment and emergency pr			
	ergency personnel. Isolate the area and preven			
	Il persons dealing with clean-up should wear th			
	ater supplies, or soil. Eliminate all ignition source e product must be grounded. Do not touch or wa			unate area). All equipment used
	terials for containment and cleaning up	ik unougn sp	med material.	
	exposure. Stop leak if you can do it without risk. S	nill should be	contained with inert material and disn	osed into suitable retaining area
	valk through spilled material. Small volumes of light			
	Do not flush down storm or sanitary sewer. Take pr			
provincial and fed		,, j	6	,
•		Handling	and Storage	
Precautions for safe handling				
	Do not/avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands/nails/face/eyes thoroughly after handling. Do not touch eyes. Do not eat,			
drink or smoke when using this product. Use only outdoors or in a well ventilated area. Contaminated work clothing should not be allowed out of				
workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/ face protection.				
Conditions for safe storage, including any incompatibilities				
Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of				
ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not				
damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Keep away from heat/hot				
surfaces/sparks/open flames and other ignition sources. Inspect periodically for damage or leaks.				
Section 8. Exposure Controls/Personal Protection				
Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: ACGIH – TLV Not established				
Appropriate engineering controls				
Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of				
	contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area.			



	ipment which performs satisfactorily and meets recognized standards.		
Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards. Individual protection measures/personal protective equipment			
Gloves: Neopren gloves or equivalent; Clothing: Shirts with long sleeves, lo	ong pants: Respiratory: Use a NIOSH approved respirators if the		
exposure limits are unknown; Equipment: Safety glasses, chemical resistant			
hands/nails/face thoroughly after handling. Do not eat, drink or smoke when			
material. Remove and wash contaminated work clothing before re-use. Educ			
Follow all label instructions.			
Section 9. Physical and 0	Chemical Properties		
Appearance, physical state/colour Liquid	Vapour pressure Not available		
Odour Faint odor	Vapour density Not available		
Odour threshold Not available	Relative density Not available		
Output Interfactor DH Not available Solubility Not available			
Melting/freezing point Not available Partition coefficient - n-octanol/water Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available		
Flash point $>100^{\circ}C (212 ^{\circ}F)$	Decomposition temperature Not available		
Evaporation rate Not available	Viscosity Not available		
Flammability (solids and gases) Not available	VOC Not available		
Upper and lower flammability/explosive limits Not available	Other None known		
Section 10. Stability	and Reactivity		
Reactivity			
Stable under normal conditions.			
Chemical stability			
Yes, Stable under the recommended storage and handling conditions prescribe			
Possibility of hazardous reactions	-041 		
Non under normal conditions of storage and use.			
Conditions to avoid (static discharge, shock or vibration)			
Excess heat.			
Incompatible materials			
Acids, bases, amines, oxidizing agents.			
Hazardous decomposition products			
Carbon monoxides, dioxides, acids.			
Section 11. Toxicological Information			
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)			
Harmful if swallowed, in contact with skin or inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause			
damage to organs through prolonged or repeated exposure.			
Symptoms related to the physical, chemical and toxicological characteri	istics		
Cough, shortness of breath, nausea and headaches.			
Delayed and immediate effects (chronic effects from short-term and long-term exposure)			
Skin Sensitization – Prolonged contact may cause skin irritation. Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data			
	y Sensitization – No data available; Germ Cell Mutagenicity – No data		
Skin Sensitization - Prolonged contact may cause skin irritation. Respiratory	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure –		
Skin Sensitization – Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure –		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – N	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure –		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – N Not Otherwise Classified – No data available.	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – o data available; Aspiration Hazard – No data available; Health Hazards		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No Not data available; Specific Target Organ Toxicity — Repeated Exposure – Not Otherwise Classified – No data available. Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat >	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – Ne No data available; Specific Target Organ Toxicity — Repeated Exposure – Ne Not Otherwise Classified – No data available. Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Decomposed or construction of the state	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document.		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – Not Otherwise Classified – No data available. Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dc Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Section 12. Ecologic	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document.		
Skin Sensitization – Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – Not Otherwise Classified – No data available. Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dc Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Section 12. Ecologic Ecotoxicity (aquatic and terrestrial information)	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – Not Otherwise Classified – No data available. Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dc Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Section 12. Ecologic	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information		
Skin Sensitization – Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – Not Otherwise Classified – No data available. Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dc Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Section 12. Ecologic Ecotoxicity (aquatic and terrestrial information)	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No data available; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Repeated Exposure – N Not Otherwise Classified – No data available. Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dc Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Section 12. Ecologic Ecotoxicity (aquatic and terrestrial information) Toxicity to fish: CAS 9046-10-0 LC ₅₀ 772.14 mg/l (Oncorhynchus mykiss	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No data available; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Repeated Exposure – N Not Otherwise Classified – No data available. Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dc Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Section 12. Ecologic Ecotoxicity (aquatic and terrestrial information) Toxicity to fish: CAS 9046-10-0 LC ₅₀ 772.14 mg/l (Oncorhynchus mykiss (Golden orfe), 96h; CAS: 25068-38-6 LC ₅₀ : 1,41 mg/l (Oryzias latipes) 96h;	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information c (rainbow trout)), 96h; CAS 1761-71-3 LC ₅₀ 67,8 mg/l Leuciscus idus CAS 100-51-6 LC ₅₀ : 10 mg/l Lepomis macrochirus (Bluegill) 96h; lea (Daphnia magna) 48h); CAS 1761-71-3 EC ₅₀ 9,24 mg/l (Water flea		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No data available; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Repeated Exposure – N Not Otherwise Classified – No data available. Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ De Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Ecotoxicity (aquatic and terrestrial information) Toxicity to fish: CAS 9046-10-0 LC ₅₀ 772.14 mg/l (Oncorhynchus mykiss (Golden orfe), 96h; CAS: 25068-38-6 LC ₅₀ : 1,41 mg/l (Oryzias latipes) 96h; Toxicity to Aquatic Invertebrates: CAS 9046-10-0 EC ₅₀ 80 mg/l (Water fl	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information c (rainbow trout)), 96h; CAS 1761-71-3 LC ₅₀ 67,8 mg/l Leuciscus idus CAS 100-51-6 LC ₅₀ : 10 mg/l Lepomis macrochirus (Bluegill) 96h; lea (Daphnia magna) 48h); CAS 1761-71-3 EC ₅₀ 9,24 mg/l (Water flea CAS 100-51-6 LC ₅₀ : 55 mg/l (Water flea (Daphnia magna) 24h;		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – N Not Otherwise Classified – No data available. Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ De Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Section 12. Ecologic Ecotoxicity (aquatic and terrestrial information) Toxicity to fish: CAS 9046-10-0 LC ₅₀ 772.14 mg/l (Oncorhynchus mykiss (Golden orfe), 96h; CAS: 25068-38-6 LC ₅₀ : 1,41 mg/l (Oryzias latipes) 96h; Toxicity to Aquatic Invertebrates: CAS 9046-10-0 EC ₅₀ 80 mg/l (Water fl (Daphnia magna) 48; CAS: 25068-38-6 EC ₅₀ : 1.7 mg/l (Crustaceans) 48h;	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information c (rainbow trout)), 96h; CAS 1761-71-3 LC ₅₀ 67,8 mg/l Leuciscus idus CAS 100-51-6 LC ₅₀ : 10 mg/l Lepomis macrochirus (Bluegill) 96h; lea (Daphnia magna) 48h); CAS 1761-71-3 EC ₅₀ 9,24 mg/l (Water flea CAS 100-51-6 LC ₅₀ : 55 mg/l (Water flea (Daphnia magna) 24h;		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – N Not Otherwise Classified – No data available. Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀) CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dc Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Ecotoxicity (aquatic and terrestrial information) Toxicity to fish: CAS 9046-10-0 LC ₅₀ 772.14 mg/l (Oncorhynchus mykiss (Golden orfe), 96h; CAS: 25068-38-6 LC ₅₀ : 1,41 mg/l (Oryzias latipes) 96h; Toxicity to Aquatic Invertebrates: CAS 9046-10-0 EC ₅₀ 80 mg/l (Water fl (Daphnia magna) 48; CAS: 25068-38-6 EC ₅₀ : 1.7 mg/l (Crustaceans) 48h; Toxicity to Aquatic Plants: CAS 9046-10-0 EC ₅₀ 15 mg/l (Selenastrum catal ca	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information (rainbow trout)), 96h; CAS 1761-71-3 LC ₅₀ 67,8 mg/l Leuciscus idus CAS 100-51-6 LC ₅₀ : 10 mg/l Lepomis macrochirus (Bluegill) 96h; lea (Daphnia magna) 48h); CAS 1761-71-3 EC ₅₀ 9,24 mg/l (Water flea CAS 100-51-6 LC ₅₀ : 55 mg/l (Water flea (Daphnia magna) 24h; apricornutum (green algae)) 72h ; CAS 1761-71-3 ErC ₅₀ 140-200 mg/l		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – N Not Otherwise Classified – No data available.Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dr Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Section 12. EcologicEcotoxicity (aquatic and terrestrial information)Toxicity to fish: CAS 9046-10-0 LC ₅₀ 772.14 mg/l (Oncorhynchus mykiss (Golden orfe), 96h; CAS: 25068-38-6 LC ₅₀ : 1,41 mg/l (Oryzias latipes) 96h; Toxicity to Aquatic Invertebrates: CAS 9046-10-0 EC ₅₀ 80 mg/l (Water fl (Daphnia magna) 48; CAS: 25068-38-6 EC ₅₀ : 1.7 mg/l (Crustaceans) 48h; Toxicity to Aquatic Plants: CAS 9046-10-0 ErC ₅₀ 15 mg/l (Selenastrum ca (Desmodesmus subspicatus (green algae)) 72h; Toxicity to Bacteria CAS 1761-71-3 EC ₅₀ 156 mg/l Pseudomonas putida 0, Persistence and degradability	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information (rainbow trout)), 96h; CAS 1761-71-3 LC ₅₀ 67,8 mg/l Leuciscus idus CAS 100-51-6 LC ₅₀ : 10 mg/l Lepomis macrochirus (Bluegill) 96h; lea (Daphnia magna) 48h); CAS 1761-71-3 EC ₅₀ 9,24 mg/l (Water flea CAS 100-51-6 LC ₅₀ : 55 mg/l (Water flea (Daphnia magna) 24h; apricornutum (green algae)) 72h ; CAS 1761-71-3 ErC ₅₀ 140-200 mg/l ,5h. estimates; CAS: 100-51-6 Biodegralibity Biotic/Aerobic – Exposure		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – N Not Otherwise Classified – No data available.Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dc Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Section 12. EcologicEcotoxicity (aquatic and terrestrial information)Toxicity to fish: CAS 9046-10-0 LC ₅₀ 772.14 mg/l (Oncorhynchus mykiss (Golden orfe), 96h; CAS: 25068-38-6 LC ₅₀ : 1,41 mg/l (Oryzias latipes) 96h; Toxicity to Aquatic Invertebrates: CAS 9046-10-0 EC ₅₀ 80 mg/l (Water fl (Daphnia magna) 48; CAS: 25068-38-6 EC ₅₀ : 1.7 mg/l (Crustaceans) 48h; Toxicity to Aquatic Plants: CAS 9046-10-0 ErC ₅₀ 15 mg/l (Selenastrum ca (Desmodesmus subspicatus (green algae)) 72h; Toxicity to Bacteria CAS 1761-71-3 EC ₅₀ 156 mg/l Pseudomonas putida 0, Persistence and degradabilityCAS: 25068-38-6: Log Kow = 2.821 time 28 d Result: 92-96% - Readily b	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information (rainbow trout)), 96h; CAS 1761-71-3 LC ₅₀ 67,8 mg/l Leuciscus idus CAS 100-51-6 LC ₅₀ : 10 mg/l Lepomis macrochirus (Bluegill) 96h; lea (Daphnia magna) 48h); CAS 1761-71-3 EC ₅₀ 9,24 mg/l (Water flea CAS 100-51-6 LC ₅₀ : 55 mg/l (Water flea (Daphnia magna) 24h; apricornutum (green algae)) 72h ; CAS 1761-71-3 ErC ₅₀ 140-200 mg/l ,5h. estimates; CAS: 100-51-6 Biodegralibity Biotic/Aerobic – Exposure iodegradable.		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – N Not Otherwise Classified – No data available.Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dr Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Section 12. EcologicEcotoxicity (aquatic and terrestrial information)Toxicity to fish: CAS 9046-10-0 LC ₅₀ 772.14 mg/l (Oncorhynchus mykiss (Golden orfe), 96h; CAS: 25068-38-6 LC ₅₀ : 1,41 mg/l (Oryzias latipes) 96h; Toxicity to Aquatic Invertebrates: CAS 9046-10-0 EC ₅₀ 80 mg/l (Water fl (Daphnia magna) 48; CAS: 25068-38-6 EC ₅₀ : 1.7 mg/l (Crustaceans) 48h; Toxicity to Aquatic Plants: CAS 9046-10-0 ErC ₅₀ 15 mg/l (Selenastrum ca (Desmodesmus subspicatus (green algae)) 72h; Toxicity to Bacteria CAS 1761-71-3 EC ₅₀ 156 mg/l Pseudomonas putida 0, Persistence and degradability CAS: 25068-38-6: Log Kow = 2.821 time 28 d Result: 92-96% - Readily bBioaccumulative potentialCAS: 25068-38-6: BCF = 0.56 ~ 0.67 (Expose	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information (rainbow trout)), 96h; CAS 1761-71-3 LC ₅₀ 67,8 mg/l Leuciscus idus CAS 100-51-6 LC ₅₀ : 10 mg/l Lepomis macrochirus (Bluegill) 96h; lea (Daphnia magna) 48h); CAS 1761-71-3 EC ₅₀ 9,24 mg/l (Water flea CAS 100-51-6 LC ₅₀ : 55 mg/l (Water flea (Daphnia magna) 24h; apricornutum (green algae)) 72h ; CAS 1761-71-3 ErC ₅₀ 140-200 mg/l ,5h. estimates; CAS: 100-51-6 Biodegralibity Biotic/Aerobic – Exposure		
Skin Sensitization –Prolonged contact may cause skin irritation. Respiratory available; Carcinogenicity – No data available; Reproductive Toxicity – No No data available; Specific Target Organ Toxicity — Repeated Exposure – N Not Otherwise Classified – No data available.Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)CAS 9046-10-0 LD ₅₀ Oral – Rat-(male and female) 2,885.3 mg/kg; LD ₅₀ Dc Oral – Rat-(male and female) 380 mg/kg; CAS 25068-38-6 LD ₅₀ oral rat > Oral - Rat - 1,230 mg/kg; LD ₅₀ Dermal – Rabbit 2,000 mg/kg; LC ₅₀ Oral – Section 12. EcologicEcotoxicity (aquatic and terrestrial information)Toxicity to fish: CAS 9046-10-0 LC ₅₀ 772.14 mg/l (Oncorhynchus mykiss (Golden orfe), 96h; CAS: 25068-38-6 LC ₅₀ : 1,41 mg/l (Oryzias latipes) 96h; Toxicity to Aquatic Invertebrates: CAS 9046-10-0 EC ₅₀ 80 mg/l (Water fl (Daphnia magna) 48; CAS: 25068-38-6 EC ₅₀ : 1.7 mg/l (Crustaceans) 48h; Toxicity to Aquatic Plants: CAS 9046-10-0 ErC ₅₀ 15 mg/l (Selenastrum ca (Desmodesmus subspicatus (green algae)) 72h; Toxicity to Bacteria CAS 1761-71-3 EC ₅₀ 156 mg/l Pseudomonas putida 0, Persistence and degradabilityCAS: 25068-38-6: Log Kow = 2.821 time 28 d Result: 92-96% - Readily b	y Sensitization – No data available; Germ Cell Mutagenicity – No data o data available; Specific Target Organ Toxicity — Single Exposure – lo data available; Aspiration Hazard – No data available; Health Hazards ermal – Rabbit-(male and female) 2,979.7 mg/kg; CAS 1761-71-3 LD ₅₀ 1000 mg/kg; LD ₅₀ Dermal – Rabbit >2000 mg/kg; CAS 100-51-6 LD ₅₀ Rat 8.8 mg/L 4h; ATE not available in this document. cal Information (rainbow trout)), 96h; CAS 1761-71-3 LC ₅₀ 67,8 mg/l Leuciscus idus CAS 100-51-6 LC ₅₀ : 10 mg/l Lepomis macrochirus (Bluegill) 96h; lea (Daphnia magna) 48h); CAS 1761-71-3 EC ₅₀ 9,24 mg/l (Water flea CAS 100-51-6 LC ₅₀ : 55 mg/l (Water flea (Daphnia magna) 24h; apricornutum (green algae)) 72h ; CAS 1761-71-3 ErC ₅₀ 140-200 mg/l ,5h. estimates; CAS: 100-51-6 Biodegralibity Biotic/Aerobic – Exposure iodegradable.		



Other adverse effects	Toxic to aquatic life with log	ng lasting effects		
Galer auverse encets		ction 13. Disposal Considerations		
Information on safe handling for disposal/methods of disposal/contaminated packaging				
	Dispose of contents/container into safe container in accordance with local, regional or national regulations.			
Section 14. Transport Information				
UN				
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations				
	UN 2735; POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyetheramine ; 4,4'-Diaminodicyclohexyl methane; CLASS: 8; PG: III.			
	UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)			
UN 2735; POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyetheramine ; 4,4'-Diaminodicyclohexyl methane; CLASS: 8; PG: III.				
		ing group (PG) of the IATA (air)		
UN 2735; POLYAMINE		O.S. (Polyetheramine ; 4,4'-Diaminodicyclohexyl methane; CLASS: 8; PG: III.		
Special precautions (tra	nsport/conveyance) May a	lso be shipped as a LIMITED QUANTITY in accordance with TDG.		
Environmental hazards	(IMDG or other) Polluta	ant Marine		
Bulk transport (usually	more than 450 L in capacity) None		
• • •		ction 15. Regulatory Information		
Safety/health Canadian		product has been classified in accordance with the hazard criteria of the Hazardous Products		
		ulations (HPR).		
Environmental Canadia		fer to Section 3 for ingredient(s) of the DSL		
	ntal outside regulations spec			
		ated according to OSHA (29 CFR).		
		n an ingredient known to the State of California to cause cancer or other reproductive harm.		
		information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.		
	mation: Refer to the ingredien			
	Ŭ	Section 16. Other Information		
Date of the latest revisio		November 13, 2022 - version 01		
	*	/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu		
Abbreviations				
	an Conference of Government	tal Industrial Hygienists		
	oxicity estimate	an mausurar rij giomsts		
	Chemical Abstract Service Domestic Substance List			
	International Agency for Research on Cancer			
	International Agency for Research on Cancer International Air Transport Association			
	International Maritime Dangerous Goods Code			
	Permissible Exposure Limit			
	Short-term Exposure Limit			
	Transport of dangerous goods in Canada			
	Threshold Limit Value			
	Toxic Substances Control Act			
		mplied warranties of merchantability and fitness for a particular purpose, with respect to the product or		
		s be liable for incidental or consequential damages. Users are responsible to verify whether the product		
		ks of their use, handling, and disposal of the product.		